

## *Occupational and Physical Therapy Management of Spinal Cord Injury*

**References** – Listed in order of presentations during the course

### **General, ISNCSCI, Prognosis, Functional Outcomes**

- American Spinal Injury Association. *International Standards for Neurological Classification of Spinal Cord Injury*. Available at: [www.asia-spinalinjury.com](http://www.asia-spinalinjury.com)
- Consortium for Spinal Cord Medicine. *Functional Outcomes after Traumatic Spinal Cord Injury*. Washington, DC: Paralyzed Veterans of America, 1999.
- Kirshblum et al. International Standards for Neurological Classification of Spinal Cord Injury (Revised 2011). *J Spinal Cord Med.* 2011; 34(6): 535-546.
- Kirshblum S, Millis S, McKinley W, Tulsy D. Late neurologic recovery after traumatic spinal cord injury. *Arch Phys Med Rehabil* 2004; 85: 1811-7.
- Kirshblum, S. C., and O'Connor, K. C. Predicting neurologic recovery in traumatic cervical spinal cord injury. *Arch Phys Med Rehabil.* 1998; 79: 1456–1466.
- Middendorp J, Hosman A, Donders R, et al. A clinical prediction rule for ambulation outcomes after traumatic spinal cord injury: a longitudinal cohort study. *Lancet.* 2011;377(9770):1004–1010.
- National Spinal Cord Injury Statistical Center. *Spinal cord injury: Facts and figures at a glance.* 2017. Spinal Cord Injury Information Network. Model Systems Knowledge Translation Center website. Available at: [www.msktc.org/sci](http://www.msktc.org/sci)
- Scivoletto G, Tamburella F, Laurenza L, Torre M, Molinari M. Who is going to walk? A review of the factors influencing walking recovery after spinal cord injury. *Front Hum Neurosci.* 2014;8: article 141.
- Somers MF. *Spinal Cord Injury Functional Rehabilitation.* 3rd Edition. Prentice-Hall, Inc; 2010.
- Wilson JR, Grossman RG, Frankowski RF, et al. A Clinical Prediction Model for Long-Term Functional Outcome after Traumatic Spinal Cord Injury Based on Acute Clinical and Imaging Factors *J Neurotrauma* 2012; 29:2263–2271.

### **Medical Complications after SCI**

- Banovac K, Sherman AL, Estores IM, Banovac F. Advanced Clinical Solutions: Prevention and treatment of heterotopic ossification after spinal cord injury. *J Spinal Cord Med.* 2004; 27: 376-382.
- Bauman CA, Milligan JD, Lee FJ, Riva JJ. Autonomic dysreflexia in spinal cord injury patients: an overview. *J Can Chiropr Assoc* 2012; 56(4).
- Berlowitz D, Wadsworth B, Ross J. Respiratory problems and management in people with spinal cord injury. *Breathe.* 2016;12(4):328–340.
- Brown R, DiMarco AF, Hoit JD, Garshick E. Respiratory Dysfunction and Management in Spinal Cord Injury. *Respir Care* 2006; 51(8): 853-870.
- Citak M, et al. The roles of serum alkaline and bone alkaline phosphatase levels in predicting heterotopic ossification following spinal cord injury. *Spinal Cord.* 2015.
- Consortium for Spinal Cord Medicine. *Acute Management of Autonomic Dysreflexia: Individuals with Spinal Cord Injury Presenting to Health-Care Facilities.* 2<sup>nd</sup> Edition. Washington, DC: Paralyzed Veterans of America, 2001.
- Consortium for Spinal Cord Medicine. *Pressure Ulcer Prevention and Treatment Following Spinal Cord Injury: A Clinical Practice Guideline for Health-Care Professionals.* 2<sup>nd</sup> Edition. Washington, DC: Paralyzed Veterans of America, 2014.

- Consortium for Spinal Cord Medicine. *Prevention of Thromboembolism in Spinal Cord Injury: A Clinical Practice Guideline for Health Care Professionals*. 2<sup>nd</sup> Edition. Washington, DC: Paralyzed Veterans of America, 1999.
- Consortium for Spinal Cord Medicine. *Respiratory Management Following Spinal Cord Injury: A Clinical Practice Guideline for Health-Care Professionals*. Paralyzed Veterans of America. 2005.
- European Pressure Ulcer Advisory Panel. Available at URL: <http://epuap.org>; US National Pressure Ulcer Advisory Panel. Available at URL: <http://npuap.org>
- Frownfelter D, Massery M. Facilitating airway clearance with coughing techniques. In: Frownfelter D, Dean E, eds. *Cardiovascular and Pulmonary Physical Therapy Evidence and Practice, ed. 4*. St. Louis, MO: [Mosby & Elsevier Health Sciences](#); 2006: Chapter 22:363-376.
- Furlan JC, Fehlings MG. Role of Screening Tests for Deep Venous Thrombosis in Asymptomatic Adults With Acute Spinal Cord Injury An evidence-based analysis. *Spine*. 2007;32(17):1908-1916.
- Genêt F, Kulina I, et al. Neurological heterotopic ossification following spinal cord injury is triggered by macrophage-mediated inflammation in muscle. *J Pathol*. 2015; 236(2):229-40.
- Hart N, Laffont I, Perez de La Sota A, et al. Respiratory effects of combined truncal and abdominal support in patients with spinal cord injury. *Arch Phys Med Rehabil*. 2005;86:1447-1451.
- Henderson CE. Application of ventilatory strategies to enhance functional activities for an individual with spinal cord injury. *Journal of Neuro Phys Ther*. 2005; 29:107-111.
- Massery M, Cahalin LP. Physical therapy associated with ventilatory pump dysfunction and failure. In DeTurk WE, Cahalin LP. *Cardiovascular and Pulmonary Physical Therapy – an Evidence-Based Approach*. New York, NY: McGraw Hill Company, Inc; 2004:600.
- McCaughey, Borotkanics, Gollee, Folz, McLachlan. Abdominal functional electrical stimulation to improve respiratory function after spinal cord injury: a systematic review and meta-analysis. *Spinal Cord*. 2016;54(9):628–639.
- Pearl J, Ramirez AR, Petruzzello M, Perdue P. Small bowel perforation after a quad cough maneuver. *J Trauma*. 2001;51:162-163.
- Sezer N, Akkuş S, Uğurlu FG. Chronic complications of spinal cord injury. *World journal of orthopedics*. 2015 Jan 18;6(1):24.
- Teasell RW, Mehta S, et al. A systematic review of the therapeutic interventions for heterotopic ossification after spinal cord injury. *Spinal Cord*. 2010; 48: 512–521.
- Tran J, McLaughlin J, Li R, Phillips L. Prevention of Pressure Ulcers in the Acute Care Setting: New Innovations and Technologies. *Plast Reconstr Surg*. 2016;138(3S):232S.
- Wong S, Shem K, Crew J. Specialized Respiratory Management for Acute Cervical Spinal Cord Injury: A Retrospective Analysis. *Topics in Spinal Cord Injury Rehabilitation*. 2012;18(4):283–290.

### **Bowel/Bladder Management, Sexuality**

- Adler US, Kirshblum SC. A new assistive device for intermittent self-catheterization in men with tetraplegia. *J Spinal Cord Medicine*. 2003; 26(2): 155-158.
- Al Taweel W, Seyam R. Neurogenic bladder in spinal cord injury patients. *Research and reports in urology*. 2015;7:85.
- Barbonetti A, Cavallo F, Felzani G, Francavilla S, Francavilla F. Erectile dysfunction is the main determinant of psychological distress in men with spinal cord injury. *The journal of sexual medicine*. 2012 Mar 1;9(3):830-6.

- Hess MJ, Hough S. Impact of spinal cord injury on sexuality: broad-based clinical practice intervention and practical application. *The journal of spinal cord medicine*. 2012 Jul 1;35(4):211-8.
- Hicken BL, Putzke JD, Richards JS Bladder management and quality of life after spinal cord injury. *Amer J Phys Med and Rehabil* 2001; 80(12): 916-922.
- Sheriff MKM, Foley S, McFarlane J, Nauth-Misir R, Craggs M, Shah PJR. Long term suprapubic catheterisation: clinical outcome and satisfaction Survey. *Spinal Cord*. 1998; 36: 171-176.
- Simpson LA, Eng JJ, Hsieh JT, Wolfe and the Spinal Cord Injury Rehabilitation Evidence (SCIRE) Research Team DL. The health and life priorities of individuals with spinal cord injury: a systematic review. *Journal of neurotrauma*. 2012 May 20;29(8):1548-55.
- Sylora JA, Gonzalez MV, Reinberg Y. Intermittent self catheterization by quadriplegic patients via a catheterizable mitrofanoff channel. *J Urology*. 1997; 157: 48-50.
- Tate DG, Forchheimer M, Rodriguez G, Chiodo A, Cameron AP, Meade M, Krassioukov A. Risk factors associated with neurogenic bowel complications and dysfunction in spinal cord injury. *Archives of physical medicine and rehabilitation*. 2016 Oct 31;97(10):1679-86.

### Standing and Gait for the Motor Incomplete Client

- Beekman C, Perry J, Boyd L, Newsam CJ, Mulroy SJ. The Effects of a Dorsiflexion-Stopped Ankle-Foot Orthosis on Walking in Individuals with Incomplete Spinal Cord Injury. *Top Spinal Cord Inj Rehabil*. 2000; 5(4): 54-62.
- Behrman AL, Bowden MG, Nair PM. Neuroplasticity After Spinal Cord Injury and Training: An Emerging Paradigm Shift in Rehabilitation and Walking Recovery. *Phys Ther*. 2006; 86(10): 1406-1425.
- Brown AK, Woller SA, Moreno G, Grau JW, Hook MA. Exercise therapy and recovery after SCI: evidence that shows early intervention improves recovery of function. *Spinal Cord*. 2011; 49: 623-628.
- Buehner J, Forrest G, Schmidt-Read M, White S, Tansey K, Basso M. Relationship Between ASIA Examination and Functional Outcomes in the NeuroRecovery Network Locomotor Training Program. *Arch Phys Med and Rehab*. 2012;93(9):1530–1540.
- Dobkin B, et al. Weight-supported treadmill vs. over-ground training for walking after acute incomplete SCI. *Neurology*. 66(4): 2006; 484-493.
- Field-Fote EC, Lindley SD, Sherman AL. Locomotor Training Approaches for Individuals with Spinal Cord Injury: A Preliminary Report of Walking-related Outcomes. *J Neuro Phys Ther*. 29(3): 2005;127-137.
- Middendorp, J.J. et al. 2011. A clinical prediction rule for ambulation outcomes after traumatic spinal cord injury: a longitudinal cohort study. *The Lancet*. 377, 9770 (2011), 1004–1010.
- Paleg, G. and Livingstone, R. Systematic review and clinical recommendations for dosage of supported home-based standing programs for adults with stroke, spinal cord injury and other neurological conditions. *BMC musculoskeletal disorders*. 2015; 16: 358.
- Wirz M, Zemon DH, Rupp R, Scheel A, Colombo G, Dietx V, Hornby TG. Effectiveness of Automated Locomotor Training in Patients with Chronic Incomplete Spinal Cord Injury: A Multi-Center Trial. *Arch Phys Med and Rehab*. 2005; 86(4): 672-680.

### Hand and Splinting

- Curtin M. An analysis of tetraplegic hand grips. *British J of Occupational Therapy*. 1999; 62(10):444-450.
- Johanson E, Murray W. The unoperated hand: The role of passive forces in hand function after tetraplegia. *Hand Clinics*. 18: 391-398.
- Krajnik S. Hand splinting in quadriplegia: current practice. *American Journal of Occupational Therapy*. 1992; 46:149-156.

### Seating and Positioning

- Consortium for Spinal Cord Medicine. *Preservation of Upper Limb Function Following SCI*. Washington, DC: Paralyzed Veterans of America; 2005.
- Hastings JD, Fanucchi ER, Burns SP. Wheelchair Configuration and Postural Alignment in Persons with Spinal Cord Injury. *Arch Phys Med Rehabil*. 2003; 84: 528-534.
- Samuelsson KAM, Tropp H, Nylander E, Gerdle B. The effect of rear-wheel position on seating ergonomics and mobility efficiency in wheelchair users with spinal cord injuries: A pilot study. *J Rehabil Res Dev*. 2004; 41(1):65-74.

### Shoulder Dysfunction

- Consortium for Spinal Cord Medicine. *Preservation of Upper Limb Function Following SCI*. Washington, DC: Paralyzed Veterans of America; 2005.
- Donatelli R, McMahon T. Physical therapy of the shoulder (5th ed). Manual therapy techniques. St. Louis. Churchill Livingstone. 2012:305-327.
- Elkstrom R, Osborn R. Physical therapy of the shoulder (5th ed). Muscle length testing and electromyographic evidence for manual strength testing and exercises for the shoulder. St. Louis. Churchill Livingstone. 2012:329-350.
- Ludewig PM, Reynolds JF. The Association of Scapular Kinematics and Glenohumeral Joint Pathologies. *J Orthop Sports Phys Ther*. 2009 February ; 39(2): 90–104.
- Mulroy SJ, Thompson L, Kemp B, et al. Strengthening and Optimal Movements for Painful Shoulders (STOMPS) in chronic spinal cord injury: a randomized controlled trial. *Phys Ther* 2011; 91:305–324.
- Thurner MS, Donatelli RA, Basharon R. Subscapularis Syndrome: A Case Report. *Int J Sports Phys Ther*. Dec 2013; 8(6): 871–882.